

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------|--------------------------------|
| Product form | : Mixture |
| Product name | : STOU 15W-40 |
| Product code | : CC001/01 |
| Type of product | : Engine oils,Lubricants |
| Synonyms | : Super Universal Tractor Oils |
| Product group | : Blend |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| | |
|----------------------------------|---|
| Intended for general public | |
| Main use category | : Consumer use,Professional use |
| Industrial/Professional use spec | : Distribution Formulation & (re)packing of substances and mixtures Used in closed systems Engine oils |
| Function or use category | : Functional Fluids |

1.2.2. Uses advised against

| | |
|---------------------|---|
| Restrictions on use | : Comply with instructions for use (refer to technical sheet) |
|---------------------|---|

1.3. Details of the supplier of the safety data sheet

Oil Distributors Ltd
2a South Belt
Rangiora 7400
Ph: 0800 70 10 10
Fax 03 313 6428
admin@oilistributors.co.nz

ERMA Approval Code: HSR002605

1.4. Emergency telephone number

| | |
|------------------|---|
| Emergency number | National Poison Control Centre 0800 764 766 |
|------------------|---|

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|--|------|
| Serious eye damage/eye irritation, Category 2 | H319 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 |

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

| | |
|--------------------------------|--|
| Signal word (CLP) | : Warning |
| Hazardous ingredients | : Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) ; phenol,dodecyl-, branched |
| Hazard statements (CLP) | : H319 - Causes serious eye irritation H412 - Harmful to aquatic life with long lasting effects |
| Precautionary statements (CLP) | : P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling |

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|------------------------------------|---|
| | P280 - Wear protective gloves P273 - Avoid release to the environment P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation |
| EUH-statements | : EUH208 - Contains Benzene, polypropene derivatives, sulfonated, calcium salts, C14-18 alpha-olefin epoxide, reaction products with boric acid(-). May produce an allergic reaction EUH210 - Safety data sheet available on request |
| Security closing plug for children | : Not applicable |
| Tactile warning | : Not applicable |

2.3. Other hazards

| | |
|--|---------------------------------|
| Other hazards not contributing to the classification | : None under normal conditions. |
| PBT: not relevant – no registration required | |
| vPvB: not relevant – no registration required | |

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-----------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic | (CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (REACH-no) 01-2119484627-25-0035; 01-2119484627-25-0025; 01-2119471299-27-0019 | < 90 | Expl. Not classified |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) | (CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27 | 1.3 - 2.6 | Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| Benzene, polypropene derivatives, sulfonated, calcium salts | (EC-No.) Polymer (REACH-no) 01-2120040541-70 | 0.1 - 0.6 | Skin Sens. 1B, H317 |
| C14-18 alpha-olefin epoxide, reaction products with boric acid | (CAS-No.) - (EC-No.) 939-580-3 (REACH-no) 01-2119976364-28 | 0.1 - 0.6 | Skin Sens. 1B, H317 |
| Dibutyl phosphonate | (CAS-No.) 1809-19-4 (EC-No.) 217-316-1 (REACH-no) 01-2119967767-15 | 0.1 - 0.6 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| phenol, dodecyl-, branched | (CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (REACH-no) 01-2119513207-49 | 0.1 - 0.3 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361f Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |

| | |
|----------|--|
| Comments | : Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. |
|----------|--|

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. |
| First-aid measures after inhalation | : Give oxygen or artificial respiration if necessary. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after inhalation | : May cause drowsiness or dizziness. May cause headache, nausea and irritation of respiratory tract. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. redness, itching, tears. |
| Symptoms/effects after ingestion | : Ingestion may cause nausea and vomiting. Risk of lung oedema. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--|
| Fire hazard | : In case of fire and/or explosion do not breathe fumes. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Precautionary measures fire | : Evacuate area. Eliminate all ignition sources if safe to do so. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| Other information | : On exposure to high temperature, may decompose, releasing toxic gases. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|--|
| General measures | : Clean up any spills as soon as possible, using an absorbent material to collect it. Eliminate every possible source of ignition. |
|------------------|--|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapours. |

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate area. Stop release. Cover spill with non combustible material, e.g.: sand/earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Evacuate unnecessary personnel. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing mist, vapours. Wear personal protective equipment. |
| Hygiene measures | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|------------------------|--|
| Technical measures | : Comply with applicable regulations. Use only non-sparking tools. |
| Storage conditions | : Store in a well-ventilated place. Keep cool. |
| Incompatible products | : Oxidizing agent. |
| Incompatible materials | : Sources of ignition. |

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

Product information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
|---|---------------------------------|----------------------|
| EU | IOELV TWA (mg/m ³) | 5 mg/m ³ |
| EU | IOELV STEL (mg/m ³) | 10 mg/m ³ |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

Hand protection:

protective gloves: neoprene gloves, PVA. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). EN 420

Eye protection:

Safety glasses. EN 166. EN 168

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 405



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|-------------------------------------|
| Physical state | : Liquid |
| Colour | : brown. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : -30 °C |
| Boiling point | : > 315 °C |
| Flash point | : 232 °C |
| Auto-ignition temperature | : > 315 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : < 10 Pa |
| Relative vapour density at 20 °C | : > 1 |
| Relative density | : No data available |
| Density | : 0.881 g/ml |
| Solubility | : soluble in most organic solvents. |
| Log Pow | : No data available |
| Viscosity, kinematic | : 109.6 cSt @40°C |
| Viscosity, dynamic | : No data available |

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive properties : Not applicable.
Oxidising properties : Not applicable.
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|---|
| LD50 oral rat | > 5000 mg/kg bodyweight (OECD 401 method) |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight (OECD 402 method) |
| LC50 inhalation rat (mg/l) | > 5 mg/l/4h (OECD 403 method) |

| phenol,dodecyl-, branched (121158-58-5) | |
|--|--|
| LD50 oral rat | 2100 mg/kg bodyweight (OECD 401 method) |
| LD50 dermal rat | 15000 mg/kg bodyweight (OECD 402 method) |

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP
Carcinogenicity : This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP
Reproductive toxicity : This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

| phenol,dodecyl-, branched (121158-58-5) | |
|--|---|
| NOAEL (oral, rat, 90 days) | 15 mg/kg bodyweight/day (OECD 416 method) |
| NOAEL (subacute, oral, animal/male, 28 days) | 60 mg/kg bodyweight (OECD 407 method) |

Aspiration hazard : Not classified

| Prista STOU 15W-40 | |
|---------------------------|--------------------------------|
| Viscosity, kinematic | 109.6 mm ² /s @40°C |

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|--|
| LC50 fish 1 | > 100 mg/l (OECD 203 method) |
| EC50 Daphnia 1 | > 10000 mg/l (OECD 202 method) |
| EC50 72h algae (1) | > 1000 mg/l (OECD 201 method) |
| NOEL, aquatic invertebrates, Chronic | < 1 mg/l (21 days, (OECD 211 method)) |
| NOEL, algae, Chronic | > 100 mg/l (72 Hours, (OECD 201 method)) |
| NOEL, microorganisms, Chronic | > 1.93 mg/l (10 minutes, DIN 38412) |
| NOEL, daphnia, Chronic | > 10 mg/l (21 days) |

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|---|-----------------------------|
| LC50 fish 1 | 4.4 mg/l (OECD 203 method) |
| EC50 Daphnia 1 | > 65 mg/l (OECD 202 method) |
| EC50 72h algae (1) | 240 mg/l |
| NOEC chronic algae | 410 mg/l (OECD 201 method) |

| Dibutyl phosphonate (1809-19-4) | |
|--|-----------------------------|
| LC50 fish 1 | 63.4 mg/l (OECD 203 method) |

| phenol,dodecyl-, branched (121158-58-5) | |
|--|--------------------------------|
| LC50 fish 1 | 40 mg/l (OECD 203 method) |
| EC50 Daphnia 1 | > 0.037 mg/l (OECD 202 method) |
| EC50 other aquatic organisms 1 | > 1000 mg/l |
| EC50 72h algae (1) | 0.36 mg/l (OECD 201 method) |
| ErC50 (algae) | > 1000 mg/l (OECD 209 method) |
| NOEC (acute) | 1000 mg/l (OECD 209 method) |

12.2. Persistence and degradability

| Prista STOU 15W-40 | |
|-------------------------------|--|
| Persistence and degradability | Not readily biodegradable, according to appropriate OECD test due to properties of several components. |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|--|
| Persistence and degradability | Not readily biodegradable, according to appropriate OECD test due to properties of several components. |
| Biodegradation | < 32 % (OECD 301B method) |

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|---|--------------------------|
| Biodegradation | < 5 % (OECD 301D method) |

| phenol,dodecyl-, branched (121158-58-5) | |
|--|---------------------------|
| Chemical oxygen demand (COD) | 10 g O ₂ /l |
| Biodegradation | < 25 % (OECD 301D method) |

12.3. Bioaccumulative potential

| Prista STOU 15W-40 | |
|---------------------------|----------------------------|
| Bioaccumulative potential | Bioaccumulative potential. |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|------------------------------------|
| Log Kow | 3.5 - 6 Moderately bioaccumulative |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| Prista STOU 15W-40 | |
|---|--|
| PBT: not relevant – no registration required | |
| vPvB: not relevant – no registration required | |

| Component | |
|---|---|
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | PBT: not relevant – no registration required vPvB: not relevant – no registration required |

12.6. Other adverse effects

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--|--|
| Waste treatment methods | : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Avoid release to the environment. |
| European List of Waste (LoW) code | : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|-----------------|
| UN-No. (ADR) | : Not regulated |
| UN-No. (IMDG) | : Not regulated |
| UN-No. (IATA) | : Not regulated |
| UN-No. (ADN) | : Not regulated |
| UN-No. (RID) | : Not regulated |

14.2. UN proper shipping name

| | |
|-----------------------------|-----------------|
| Proper Shipping Name (ADR) | : Not regulated |
| Proper Shipping Name (IMDG) | : Not regulated |
| Proper Shipping Name (IATA) | : Not regulated |
| Proper Shipping Name (ADN) | : Not regulated |
| Proper Shipping Name (RID) | : Not regulated |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-----------------|
| Transport hazard class(es) (ADR) | : Not regulated |
|----------------------------------|-----------------|

IMDG

| | |
|-----------------------------------|-----------------|
| Transport hazard class(es) (IMDG) | : Not regulated |
|-----------------------------------|-----------------|

IATA

| | |
|-----------------------------------|-----------------|
| Transport hazard class(es) (IATA) | : Not regulated |
|-----------------------------------|-----------------|

ADN

| | |
|----------------------------------|-----------------|
| Transport hazard class(es) (ADN) | : Not regulated |
|----------------------------------|-----------------|

RID

| | |
|----------------------------------|-----------------|
| Transport hazard class(es) (RID) | : Not regulated |
|----------------------------------|-----------------|

14.4. Packing group

| | |
|----------------------|-----------------|
| Packing group (ADR) | : Not regulated |
| Packing group (IMDG) | : Not regulated |
| Packing group (IATA) | : Not regulated |
| Packing group (ADN) | : Not regulated |
| Packing group (RID) | : Not regulated |

14.5. Environmental hazards

| | |
|-------------------------------|--|
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | : No supplementary information available |

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Health and Safety at Work Act 2015

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|-------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| vPvB | Very Persistent and Very Bioaccumulative |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : None.

Full text of H- and EUH-statements:

| | |
|----------------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Expl. Not classified | Explosive Not classified |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |

STOU 15W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H361f | Suspected of damaging fertility |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| EUH208 | Contains . May produce an allergic reaction |
| EUH210 | Safety data sheet available on request |

SDS EU (REACH Annex II) Prista

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product